

NO DRAINAGE MAY BE PLACED OVER WATER SERVICE.
NO DRAINAGE MAY BE PLACED OVER SANITARY SEWER MAINHOLE.


R.L.P. = RESTRAINED JOINT PIPE

LENGTH OF PIPE TO BE RESTRAINED IN EACH DIRECTION FROM CENTERLINE OF BEND, EXCEPT AS NOTED BELOW	
DESCRIPTION	8"
11 1/4" UP BEND	15'
11 1/4" DOWN BEND	15'
22 1/2" UP BEND	8'
22 1/2" DOWN BEND	23'
45" UP BEND	11'
45" DOWN BEND	26'
6" x 8" TEE	24'
6" x 8" TEE	55'
45" DOWN BEND	34'
DEAD END	124'

VERTICAL


PIPE RESTRAINTS SCHEDULE FOR JOINTS

HORIZONTAL



NOTE: HIGH WATER TABLES ARE APPARENT IN THIS AREA.
IF BASEMENTS ARE CONSTRUCTED, IT IS THE RESPONSIBILITY OF THE BUILDER TO TAKE SPECIAL PRECAUTION TO ENSURE THE BASEMENTS STAY DRY.

UNLESS OTHERWISE DESIGNATED ON THE RECORD PLAT, ALL 10' FOOT EXPOSED BASEMENT WALLS SHALL BE CONSTRUCTED TO A COMMON LINE. THE COMMON LOT LINE BEING THE CENTERLINE OF SAID EASEMENT.



UNDERGROUND UTILITIES

2 WORKING DAYS

BEFORE YOU DIG

CALL: 800-362-2764 (Toll Free)

OHIO UTILITIES PROTECTION SERVICE (OUPS)

CALL: 800-923-0988 (Toll Free)

OHIO OIL & GAS PRODUCERS UNDERGROUND PROTECTION SERVICE (OOGUPS)

NON-MEMBERS MUST BE CALLED DIRECTLY

Project No.	04476.01
Scale	1"=50'
Sheet No.	2 / 9
File No.	04-476

CARRIAGE HILL AKA: WINDING CREEK SECTION 4

SECTION 32, TOWN 3, RANGE 3
LIBERTY TOWNSHIP
BUTLER COUNTY, OHIO



Drawn By	NAK	Project Mgr.	JJC
Drawing File	04476014.NP		
Reference	04476003-CON-2010		
File	04476014-Sub-Ground-10-24-11		
Date	06/15/12	By	06/15/12
No. Revision/Issue			
1	BOWS COMMENTS	RA	06/25/12

McGill Smith Punshon, Inc.

3700 Port 42 Drive • Suite 1908
Chincinnati, Ohio 45241-2977
Tel 513.757.0004 • Fax 513.563.7099
www.mcgillsmithpunshon.com
Engineers • Architects • Surveyors
Landscape Architects • Planners